

# ALL-STIM



- ▶ Four channel (8-lead) all digital combo Muscle Stim, Russian Stim, Interferential, and TENS
- ▶ Separate intensity controls for each channel
- ▶ Fully adjustable EMS mode (Synchronous) with programmed default settings
- ▶ Fully adjustable Russian Stim mode with programmed default settings
- ▶ 3 Preset Interferential programs and 1 adjustable frequency program with vector sweep
- ▶ 3 fully adjustable TENS modes (Normal, Burst, and Modulated Width)
- ▶ One program can be locked for each EMS, Interferential, and TENS modes
- ▶ Treatment start/pause button
- ▶ Easy to use and operate
- ▶ Treatment timer (1-60 minutes)
- ▶ Compliance monitor
- ▶ LCD display with push button control panel
- ▶ Safety power on/off switch
- ▶ AC wall adapter or 4 AA battery power supply
- ▶ Heavy duty color-coded cables
- ▶ Durable for clinic or home setting
- ▶ 1 year warranty
- ▶ Available in 2 channel version: AllStim2
- ▶ Comes with 2 pkgs of 4 reusable self-adhering electrodes, 2 pairs of 48" 4-lead pin connection wires, 4 AA high-powered Ni-MH rechargeable batteries, 1 each AA battery charger, AC wall adapter, zippered padded carrying fanny pack, and instruction manual



## Technical Specifications

**Channel** Four

**Timer** 1 - 60 minutes with buzzer sound at the end of treatment time

**Compliance Number** Counts number of times the start/stop key is pressed

**Compliance Timer** Counts units of total treatment time unit was used.  
1 unit = 5 minutes

**Lock Key** Saves selected treatment parameters and locks out any other input

**Power Supply** 4.8 V (4 each 1.2 V Ni-MH rechargeable batteries)

**Size** 10 x 15.8 x 4.45 cm

**Weight** 408 grams, unit only

## Electrical Muscle Stim Specifications:

**Conventional Stim (MS-CONVL)** [Default EMS mode]

**Amplitude** 90 mA peak at 500 ohm load ( $\pm 10\%$ )

**Output Voltage** 45 V peak to peak at 500 ohm load ( $\pm 10\%$ )

**Waveform** Symmetrical biphasic

**Pulse Rate** 1 - 150 Hz [Default 70 Hz]

**Pulse Width** 200 - 450  $\mu$ S [Default 400 ms]

**Contraction Time** 1 - 60 seconds (+/- 2 sec / 10 sec) [Default 10 sec.]

**Relaxation Time** 0 - 60 seconds (+/- 2 sec / 10 sec) [Default 15 sec.]

**Ramp Up/Down** 1 - 9 seconds (+/- 2 sec / 10 sec) [Default 2 sec.]

## Russian Stim (MS-RUSS) Specifications:

**Amplitude** 90 mA peak at 500 ohm load ( $\pm 10\%$ )

**Output Voltage** 45 Volts peak to peak at 500 ohm load ( $\pm 10\%$ )

**Waveform** Symmetrical biphasic

**Pulse Rate** Channels 1 & 3 fixed at 2500 Hz; Channels 2 & 4 fixed at 2550 Hz

**Pulse Width** 200  $\mu$ S fixed

**Contraction Time** 1 - 60 seconds (+/- 2 sec / 10 sec) [Default 10 sec.]

**Relaxation Time** 0 - 60 seconds (+/- 2 sec / 10 sec) [Default 15 sec.]

**Ramp Up/Down** 1 - 9 seconds (+/- 2 sec / 10 sec) [Default 2 sec.]

## Interferential (IFT) Specifications:

**Amplitude** 80 mA peak at 500 ohm load ( $\pm 10\%$ )

**Output Voltage** 40 V peak to peak at 500 ohm load ( $\pm 10\%$ )

**Waveform** True sine wave

**Pulse Width:** 100  $\mu$ S fixed

**Pulse Rate:** Channels 1 & 3 fixed at 5000 Hz; Channels 2 & 4 variable 5001 - 5250 Hz

**LOW** [Default IFT mode] Pulse Rate sweeps from 1 - 10 Hz per second

**HIGH** Pulse Rate sweeps from 80 - 150 Hz per second

**WIDE** Pulse Rate sweeps from 1 - 250 Hz per second

**FIXED w/ Vector Sweep** Selectable fixed Pulse Rate from 10-200 Hz in 10 Hz increments. Built-in Vector Sweep provides a "sweeping" effect of the stimulation from Channel 1 to Channel 2 and from Channel 3 to Channel 4 from 100% - 0% stimulation and then from 0% - 100% stimulation in a period of 22 seconds

## TENS (TNS) Specifications:

**Amplitude** 90 mA peak at 500 ohm load ( $\pm 10\%$ )

**Output Voltage** 45 V peak to peak at 500 ohm load ( $\pm 10\%$ )

**Waveform** Symmetrical biphasic

**Modes**

**Conventional TNS** [Default TENS mode] Pulse Width: Adjustable 50 - 250  $\mu$ S [Default 250 ms]; Pulse Rate: Adjustable 1 - 150 Hz [Default 70 Hz]

**Burst TNS** Pulse Width: 250  $\mu$ S fixed; Pulse Rate: 50 Hz with bursts of 7 pulses per second followed by 2-second rest

**Modulation TNS** Pulse Width: Modulates between 100 - 200  $\mu$ S over a 2 second time period; Pulse Rate: Adjustable 1 - 150 Hz [Default 150 Hz]

Distributed by:



217 Industrial Court  
Wabasha, MN 55981  
1-800-363-STIM | www.medi-stim.com  
Fax: 1-651-565-2410